




Hypoxyprobe, Inc.
121 Middlesex Turnpike
Burlington, MA 01803 USA
www.hypoxyprobe.com



Hypoxyprobe™ ATTO 594 Antibody

(HPI Catalog # red-594)

- Description:** Mouse IgG1 monoclonal antibody conjugated to ATTO 594 fluorophore (HPATTO 594).
- Specificity:** Pimonidazole HCl forms adducts with thiol containing tissue proteins at $pO_2 \leq 10$ mm Hg. HP-ATTO 594 binds to pimonidazole adducts in hypoxic cells in tissue and tissue culture.
- Format:** Each vial of HP-ATTO 594 contains the antibody dissolved in 200 microliters of stabilized diluent at a concentration of approximately 0.5 mg/mL.
- Product Type:** Fluorophore conjugated IgG1 mouse monoclonal antibody (clone 4.3.11.3)
- Fluorophore:** ≥ 5 molecules of ATTO 594 per mouse IgG1 molecule.
- Protein Ratio:** ≥ 5 molecules of ATTO 594 per mouse IgG1 molecule.
- Fluorescence:** Excitation 601 nm; Emission max 627 nm. While considered as a very strong and deep purplish red emitter, with a molar absorptivity of 120,000 M⁻¹cm⁻¹. A 90% quantum yield is available with this reagent making it ideal for sensitive applications.

Product Details

- Applications:** Flow cytometry and immunofluorescence on frozen tissue sections. HP-ATTO 594 is designed as an alternative to FITC labeled anti-pimonidazole mouse monoclonal antibody1. Unpublished data indicate that HP-ATTO 594 serves this purpose well. A dilution of 1/20-1/200 is suggested as a working guide only. It is recommended that users titrate the product for use in their system using appropriate negative and positive controls. Image above: human tumor xenograft hypoxia (red); 1/200 dilution of HP-ATTO 594 overnight at 4°C on frozen section. (Courtesy of Hans Peters, Radboud University Nijmegen Medical Centre, Nijmegen, The Netherlands.)
- Target Species:** All species. This means that this product including the antibody can be used with any cell or tissue from plant or animal species as well as for human applications. Remember only pimonidazole HCl (non toxic) is to be introduced into the target. A biopsy is taken and the antibody is added to the biopsied tissue for staining or fluorescence measurements. The antibody product itself is toxic.
- Product Form:** Purified mouse IgG₁ prepared by affinity chromatography
- Buffer:** Proprietary formulation containing stabilizers.